




# Basal Ganglia and Motor Control

Faisal I. Mohammed, MD, PhD

# [ Objectives ]

- ☺ Recognize the basal ganglia system and name its parts
- ☺ Describe how the basal ganglia system works toward control of motor movements
- ☺ Identify basal ganglia abnormalities




-  Motor Command
-  Feed Back
-  Command Monitor
-  Corrective Command


**Motor System**

# [ Basal Ganglia System ]

- Consist of Four Nuclei
  - striatum
    - caudate and putamen
  - globus pallidus
  - substantia nigra
  - subthalamus





# Basal Ganglia



(a) Lateral view of right side of brain

14.13a



# Basal Ganglia



(b) Anterior view of frontal section

14.13b

# Basal ganglia Afferents and Efferents







# Basal ganglia Afferents

- Afferents:
  - Cerebral cortex to caudate and putamen
  - Substantia nigra pars compacta to putamen and caudate
  - Subthalamic nucleus to globus pallidus and to substantia nigra pars reticulata
  - Centromedial nucleus of the thalamus to putamen and caudate
  - Raphe magnus nucleus to putamen and caudate

# Basal ganglia Efferents

- Efferents:
  - Putamen and caudate to globus pallidus
  - Putamen and caudate to substantia nigra pars reticularis
  - Globus pallidus to subthalamic nucleus
  - Globus pallidus to ventroanterior and ventrolateral nuclei of the thalamus

The basal ganglia are the principle subcortical components of a family of parallel circuits linking the thalamus with the cerebral cortex




# Motor Function of the Basal Ganglia

- control of *complex patterns* of motor activity
  - writing
  - using scissors
  - throwing balls
  - shoveling dirt
  - some aspects of vocalization

# Function of the Basal Ganglia?

- not much is known about the specific functions of each of these structures
- thought to function in *timing and scaling* of motion and in the **initiation of motion**
- most information comes from the result of damage to these structures and the resulting clinical abnormality

# Caudate Circuit




Caudate extends into all lobes of the cortex and receives a large input from association areas of the cortex

Mostly projects to globus pallidus, no fibers to subthalamus


Most motor actions occur as a result of a **sequence of thoughts**. Caudate circuit may play a role in the **cognitive control of motor functions**

# Putamen Circuit




Mostly from premotor and supplemental motor cortex to putamen then back to motor cortex.


# Neurotransmitters in the Basal Ganglia






# Basal Ganglia circuits and Neurotransmitters





A

# Motor control of the Basal Ganglia



# Lesions of Basal Ganglia

- Globus pallidus
  - athetosis - spontaneous writhing movements of the hand, arm, neck, and face
- Putamen
  - chorea – involuntary flicking movements of the hands, face, and shoulders
- Substantia nigra
  - Parkinson's disease - **rigidity**, **resting tremor** and **akinesia**
  - loss of dopaminergic input from substantia nigra to the caudate and putamen

# Lesions of Basal Ganglia


- Subthalamus
  - hemiballismus - sudden flailing movements of the entire limb
- Caudate nucleus and Putamen
  - huntington's chorea - loss of GABA containing neurons to globus pallidus and substantia nigra
- All signs and symptoms of basal ganglia diseases are **contralateral** to the lesion in contrast to cerebellar lesions which are **ipsilateral**

# Integration of Motor Control

- Spinal cord level
  - preprogramming of patterns of movement of all muscles (i.e., withdrawal reflex, walking movements, etc.).
- Brainstem level
  - maintains equilibrium by adjusting axial tone
- Cortical level
  - issues commands to set into motion the patterns available in the spinal cord
  - controls the intensity and modifies the timing

# Integration of Motor Control (cont'd)

- Cerebellum
  - function with all levels of control to adjust cord motor activity, equilibrium, and planning of motor activity
- Basal ganglia
  - functions to assist cortex in executing subconscious but learned patterns of movement, and to plan sequential patterns to accomplish a purposeful task



## Overall scheme for integration of motor function



# Thank You

